

MAQCsubsetILM: MAQC reference subset for the Illumina platform

Laurent Gatto

October 13, 2009

Contents

| | | |
|---|-----------------------------|---|
| 1 | The MAQC reference datasets | 1 |
| 2 | Loading the reference data | 2 |

1 The MAQC reference datasets

The MAQC (MicroArray Quality Control) project¹ provides a set of reference datasets for a set of 10 platforms (see *Summary of the MAQC Data Sets*² for more details). This package provides a subset of the Illumina MAQC dataset³.

Regarding the Illumina platform (ILM prefix), a total of 59 Human-6 BeadChip 48K v1.0 have been generated. Four different reference RNAs have been used: (A) 100% of Stratagene's *Universal Human Reference RNA*, (B) 100% of Ambion's Human Brain Reference RNA, (C) 75% of A and 25% of B and (D) 25% of A and 75% of B. Each reference has been repeated 5⁴ times (noted _A1_ to _A5_) on three different test sites (noted _1_ to _3_). As an example, the .CEL result file for the first replicate of test site 2, for the reference ARN C is named ILM_2_C1.CEL.

¹<http://www.fda.gov/nctr/science/centers/toxicoinformatics/maqc>

²http://edkb.fda.gov/MAQC/MainStudy/upload/Summary_MAQC_DataSets.pdf

³Packages for the datasets of other platforms will follow and will all be named MAQCsubsetXXX where XXX is the three-letter code used by the MAQC consortium.

⁴except for site 1, reference C, where 4 replicates are available

⁵the replicates for site 2, reference D are labelled _D1_, _D2_, _D4_, _D6_ and _D7_

These datasets are freely available and allow, for example, researchers to compare the reproducibility of their own Human-6 BeadChip 48K v1.0 data with the MAQC data. *MAQCsubsetILM* offers 3 randomly chosen BeadChips for each reference RNA, one for each test site. Each reference RNA subset is accessible as an R data object, respectively called `refA`, `refB`, `refC` and `refD`.

More information concerning the MAQC initiative can be found in the September 2006 special issue of *Nature Biotechnology*.

2 Loading the reference data

Once the library has been installed and loaded, the reference datasets can be loaded using the `(data())` function as shown below.

```
> library("MAQCsubsetILM")
```

This is mgcv 1.5-6 . For overview type ``help("mgcv-package")``.

```
> data(refA)
```

```
> refA
```

Summary of data information:

Major Operation History:

| | submitted | | finished | |
|----|------------|----------|------------|----------|
| 1 | 2008-02-29 | 12:24:41 | 2008-02-29 | 12:24:43 |
| 2 | 2008-02-29 | 12:24:43 | 2008-02-29 | 12:24:43 |
| 3 | 2008-02-29 | 12:24:46 | 2008-02-29 | 12:24:46 |
| 4 | 2008-02-29 | 12:24:43 | 2008-02-29 | 12:24:45 |
| 5 | 2008-02-29 | 12:24:45 | 2008-02-29 | 12:24:45 |
| 6 | 2008-02-29 | 12:24:46 | 2008-02-29 | 12:24:46 |
| 7 | 2008-02-29 | 12:24:46 | 2008-02-29 | 12:24:46 |
| 8 | 2008-02-29 | 12:24:48 | 2008-02-29 | 12:24:48 |
| 9 | 2008-02-29 | 12:24:46 | 2008-02-29 | 12:24:48 |
| 10 | 2008-02-29 | 12:24:48 | 2008-02-29 | 12:24:48 |
| 11 | 2008-02-29 | 12:24:48 | 2008-02-29 | 12:24:49 |
| 12 | 2008-02-29 | 12:24:49 | 2008-02-29 | 12:24:49 |
| 13 | 2008-02-29 | 12:24:51 | 2008-02-29 | 12:24:51 |

| | | | | |
|----|------------|----------|------------|----------|
| 14 | 2008-02-29 | 12:24:49 | 2008-02-29 | 12:24:51 |
| 15 | 2008-02-29 | 12:24:51 | 2008-02-29 | 12:24:51 |
| 16 | 2008-02-29 | 12:24:51 | 2008-02-29 | 12:24:51 |
| 17 | 2008-02-29 | 12:24:51 | 2008-02-29 | 12:24:51 |
| 18 | 2008-02-29 | 12:24:54 | 2008-02-29 | 12:24:54 |
| 19 | 2008-02-29 | 12:24:51 | 2008-02-29 | 12:24:54 |
| 20 | 2008-02-29 | 12:24:54 | 2008-02-29 | 12:24:54 |
| 21 | 2008-02-29 | 12:24:54 | 2008-02-29 | 12:24:54 |
| 22 | 2008-02-29 | 12:24:54 | 2008-02-29 | 12:24:54 |
| 23 | 2008-02-29 | 12:24:57 | 2008-02-29 | 12:24:57 |
| 24 | 2008-02-29 | 12:24:54 | 2008-02-29 | 12:24:56 |
| 25 | 2008-02-29 | 12:24:56 | 2008-02-29 | 12:24:56 |
| 26 | 2008-02-29 | 12:24:57 | 2008-02-29 | 12:24:57 |
| 27 | 2008-02-29 | 12:24:57 | 2008-02-29 | 12:24:57 |
| 28 | 2008-02-29 | 12:24:59 | 2008-02-29 | 12:25:00 |
| 29 | 2008-02-29 | 12:24:57 | 2008-02-29 | 12:24:59 |
| 30 | 2008-02-29 | 12:24:59 | 2008-02-29 | 12:24:59 |
| 31 | 2008-02-29 | 12:25:00 | 2008-02-29 | 12:25:00 |
| 32 | 2008-02-29 | 12:25:00 | 2008-02-29 | 12:25:00 |
| 33 | 2008-02-29 | 12:25:02 | 2008-02-29 | 12:25:02 |
| 34 | 2008-02-29 | 12:25:00 | 2008-02-29 | 12:25:02 |
| 35 | 2008-02-29 | 12:25:02 | 2008-02-29 | 12:25:02 |
| 36 | 2008-02-29 | 12:25:02 | 2008-02-29 | 12:25:03 |
| 37 | 2008-02-29 | 12:25:03 | 2008-02-29 | 12:25:03 |
| 38 | 2008-02-29 | 12:25:05 | 2008-02-29 | 12:25:05 |
| 39 | 2008-02-29 | 12:25:03 | 2008-02-29 | 12:25:04 |
| 40 | 2008-02-29 | 12:25:04 | 2008-02-29 | 12:25:05 |
| 41 | 2008-02-29 | 12:25:05 | 2008-02-29 | 12:25:05 |
| 42 | 2008-02-29 | 12:25:05 | 2008-02-29 | 12:25:05 |
| 43 | 2008-02-29 | 12:25:08 | 2008-02-29 | 12:25:08 |
| 44 | 2008-02-29 | 12:25:05 | 2008-02-29 | 12:25:07 |
| 45 | 2008-02-29 | 12:25:07 | 2008-02-29 | 12:25:07 |
| 46 | 2008-02-29 | 12:25:08 | 2008-02-29 | 12:25:08 |
| 47 | 2008-02-29 | 12:25:08 | 2008-02-29 | 12:25:08 |
| 48 | 2008-02-29 | 12:25:10 | 2008-02-29 | 12:25:10 |
| 49 | 2008-02-29 | 12:25:08 | 2008-02-29 | 12:25:10 |
| 50 | 2008-02-29 | 12:25:10 | 2008-02-29 | 12:25:10 |
| 51 | 2008-02-29 | 12:25:10 | 2008-02-29 | 12:25:11 |
| 52 | 2008-02-29 | 12:25:11 | 2008-02-29 | 12:25:11 |
| 53 | 2008-02-29 | 12:25:13 | 2008-02-29 | 12:25:13 |
| 54 | 2008-02-29 | 12:25:11 | 2008-02-29 | 12:25:13 |
| 55 | 2008-02-29 | 12:25:13 | 2008-02-29 | 12:25:13 |

```

56 2008-02-29 12:25:13 2008-02-29 12:25:13
57 2008-02-29 12:25:13 2008-02-29 12:25:13
58 2008-02-29 12:25:16 2008-02-29 12:25:16
59 2008-02-29 12:25:13 2008-02-29 12:25:15
60 2008-02-29 12:25:15 2008-02-29 12:25:16
61 2008-02-29 12:25:16 2008-02-29 12:25:16
62 2008-02-29 12:25:16 2008-02-29 12:25:16
63 2008-02-29 12:25:19 2008-02-29 12:25:19
64 2008-02-29 12:25:16 2008-02-29 12:25:18
65 2008-02-29 12:25:18 2008-02-29 12:25:18
66 2008-02-29 12:25:19 2008-02-29 12:25:19
67 2008-02-29 12:25:19 2008-02-29 12:25:19
68 2008-02-29 12:25:22 2008-02-29 12:25:22
69 2008-02-29 12:25:19 2008-02-29 12:25:21
70 2008-02-29 12:25:21 2008-02-29 12:25:21
71 2008-02-29 12:25:22 2008-02-29 12:25:22
72 2008-02-29 12:25:22 2008-02-29 12:25:22
73 2008-02-29 12:27:25 2008-02-29 12:27:25

```

| | command | lumiVersion |
|----|---|-------------|
| 1 | lumiR("ILM_1_A1.txt", parseColumnName = FALSE) | 1.5.17 |
| 2 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 3 | Subsetting 47293 features. | 1.5.17 |
| 4 | lumiR("ILM_1_A2.txt", parseColumnName = FALSE) | 1.5.17 |
| 5 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 6 | Subsetting 47293 features. | 1.5.17 |
| 7 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 8 | Subsetting 47293 features. | 1.5.17 |
| 9 | lumiR("ILM_1_A3.txt", parseColumnName = FALSE) | 1.5.17 |
| 10 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 11 | Subsetting 47293 features. | 1.5.17 |
| 12 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 13 | Subsetting 47293 features. | 1.5.17 |
| 14 | lumiR("ILM_1_A4.txt", parseColumnName = FALSE) | 1.5.17 |
| 15 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 16 | Subsetting 47293 features. | 1.5.17 |
| 17 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 18 | Subsetting 47293 features. | 1.5.17 |
| 19 | lumiR("ILM_1_A5.txt", parseColumnName = FALSE) | 1.5.17 |
| 20 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 21 | Subsetting 47293 features. | 1.5.17 |
| 22 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 23 | Subsetting 47293 features. | 1.5.17 |

| | | |
|----|---|--------|
| 24 | lumiR("ILM_2_A1.txt", parseColumnName = FALSE) | 1.5.17 |
| 25 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 26 | Subsetting 47293 features. | 1.5.17 |
| 27 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 28 | Subsetting 47293 features. | 1.5.17 |
| 29 | lumiR("ILM_2_A2.txt", parseColumnName = FALSE) | 1.5.17 |
| 30 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 31 | Subsetting 47293 features. | 1.5.17 |
| 32 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 33 | Subsetting 47293 features. | 1.5.17 |
| 34 | lumiR("ILM_2_A3.txt", parseColumnName = FALSE) | 1.5.17 |
| 35 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 36 | Subsetting 47293 features. | 1.5.17 |
| 37 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 38 | Subsetting 47293 features. | 1.5.17 |
| 39 | lumiR("ILM_2_A4.txt", parseColumnName = FALSE) | 1.5.17 |
| 40 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 41 | Subsetting 47293 features. | 1.5.17 |
| 42 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 43 | Subsetting 47293 features. | 1.5.17 |
| 44 | lumiR("ILM_2_A5.txt", parseColumnName = FALSE) | 1.5.17 |
| 45 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 46 | Subsetting 47293 features. | 1.5.17 |
| 47 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 48 | Subsetting 47293 features. | 1.5.17 |
| 49 | lumiR("ILM_3_A1.txt", parseColumnName = FALSE) | 1.5.17 |
| 50 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 51 | Subsetting 47293 features. | 1.5.17 |
| 52 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 53 | Subsetting 47293 features. | 1.5.17 |
| 54 | lumiR("ILM_3_A2.txt", parseColumnName = FALSE) | 1.5.17 |
| 55 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 56 | Subsetting 47293 features. | 1.5.17 |
| 57 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 58 | Subsetting 47293 features. | 1.5.17 |
| 59 | lumiR("ILM_3_A3.txt", parseColumnName = FALSE) | 1.5.17 |
| 60 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 61 | Subsetting 47293 features. | 1.5.17 |
| 62 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 63 | Subsetting 47293 features. | 1.5.17 |
| 64 | lumiR("ILM_3_A4.txt", parseColumnName = FALSE) | 1.5.17 |
| 65 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |

| | | |
|----|---|--------|
| 66 | Subsetting 47293 features. | 1.5.17 |
| 67 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 68 | Subsetting 47293 features. | 1.5.17 |
| 69 | lumiR("ILM_3_A5.txt", parseColumnName = FALSE) | 1.5.17 |
| 70 | lumiQ(x.lumi = x.lumi, detectionTh = detectionTh) | 1.5.17 |
| 71 | Subsetting 47293 features. | 1.5.17 |
| 72 | combine(x = x.lumi, y = x.lumi.i) | 1.5.17 |
| 73 | Subsetting 3 samples. | 1.5.17 |

Object Information:

LumiBatch (storageMode: lockedEnvironment)

assayData: 47293 features, 3 samples

element names: beadNum, detection, exprs, se.exprs

phenoData

sampleNames: ILM_1_A5, ILM_2_A1, ILM_3_A2

varLabels and varMetadata description:

sampleID: The unique Illumina microarray Id

site: NA

ref: NA

replicate: NA

featureData

featureNames: GI_10047089-S, GI_10047091-S, ..., trpF (47293 total)

fvarLabels and fvarMetadata description:

TargetID: The Illumina microarray identifier

experimentData: use 'experimentData(object)'

Annotation:

Control Data: Available

QC information: Please run summary(x, 'QC') for details!