

# Social Networks Analysis Data

Denise Scholtens

*SNADData* contains `graphNEL` objects of the social networks analysis data available in Appendix B of Wasserman. S. and Faust. K. (1994). *Social Network Analysis*. New York: Cambridge University Press. The descriptions of the data available here are based on the information in Appendix B.

```
> library(graph)
```

```
Loading required package: cluster
```

```
Loading required package: Ruuid
```

```
Creating a new generic function for "print" in "Ruuid"
```

```
Loading required package: Biobase
```

```
Welcome to Bioconductor
```

```
  Vignettes contain introductory material.  To view,  
  simply type: openVignette()  
  For details on reading vignettes, see  
  the openVignette help page.
```

```
> library(Rgraphviz)
```

```
> library(SNADData)
```

## Krackhardt's High-tech Managers

Tables B.1 - B.3 in Wasserman and Faust contain data for three directed relations between Krackhardt's 21 high-tech managers: advice, friendship, reports to. Table B.4 contains a table of four attributes for the managers: age (in years), tenure (length of time employed by the company, in years), level in corporate hierarchy (coded 1,2,3), department of the company (coded 1,2,3,4).

Relation	W & F Table No.	<i>SNAData</i> object
<b>Graphs:</b>		
advice	B.1	advice
friendship	B.2	friendship
reports to	B.3	reportsTo
<b>Attributes:</b>		
attributes	B.4	krackhardtAttrs

```
> data(advice)
> data(friendship)
> data(reportsTo)
> data(krackhardtAttrs)
> advice
```

```
A graph with directed edges
Number of Nodes = 21
Number of Edges = 190
```

```
> friendship
```

```
A graph with directed edges
Number of Nodes = 21
Number of Edges = 102
```

```
> reportsTo
```


```
A graph with directed edges
Number of Nodes = 21
Number of Edges = 20
```

```
> krackhardtAttrs
```

```
Age Tenure Level Dept
1  33  9.333    3    4
2  42 19.583    2    4
3  40 12.750    3    2
4  33  7.500    3    4
5  32  3.333    3    2
6  59 28.000    3    1
7  55 30.000    1    0
8  34 11.333    3    1
```

9	62	5.417	3	2
10	37	9.250	3	3
11	46	27.000	3	3
12	34	8.917	3	1
13	48	0.250	3	2
14	43	10.417	2	2
15	40	8.417	3	2
16	27	4.667	3	4
17	30	12.417	3	1
18	33	9.083	2	3
19	32	4.833	3	2
20	38	11.667	3	2
21	36	12.500	2	1

```
> plot(reportsTo)
```



## Padgett's Florentine Families

Tables B.5 - B.6 contain data for two undirected relations between 16 of Padgett's Florentine families: business, marital. Table B.7 contains a table of three attributes for the families: wealth (net wealth, measured in 1427, in thousands of lira), number of priorates (number of seats on the Civic Council held between 1282 and 1344), number of ties (number of business or marital ties in the total network of 116 families).

Relation	W & F Table No.	<i>SNAData</i> object
<b>Graphs:</b>		
business	B.5	business
marital	B.6	marital
<b>Attributes:</b>		
attributes	B.7	florentineAttrs

```
> data(business)
> data(marital)
> data(florentineAttrs)
> business
```

```
A graph with undirected edges
Number of Nodes = 16
Number of Edges = 15
```

```
> marital
```

```
A graph with undirected edges
Number of Nodes = 16
Number of Edges = 20
```

```
> florentineAttrs
```

	Wealth	NumberPriorates	NumberTies
Acciaiuoli	10	53	2
Albizzi	36	65	3
Barbadori	55	NA	14
Bischeri	44	12	9
Castellani	20	22	18
Ginori	32	NA	9
Guadagni	8	21	14
Lamberteschi	42	0	14
Medici	103	53	54
Pazzi	48	NA	7

Peruzzi	49	42	32
Pucci	3	0	1
Ridolfi	27	38	4
Salviati	10	35	5
Strozzi	146	74	29
Tornabuoni	48	NA	7

```
> adj(business, "Bischeri")
```

```
$Bischeri
[1] "Guadagni"      "Lamberteschi" "Peruzzi"
```

```
> adj(marital, "Bischeri")
```

```
$Bischeri
[1] "Guadagni" "Peruzzi"  "Strozzi"
```

## Freeman's EIES Network

Tables B.8 - B.10 contain data for three directed, weighted relations between 32 of Freeman's EIES researchers: acquaintanceship at time 1, January 1978, the start of the study; acquaintanceship at time 2, September 1978, the end of the study; the number of messages sent. The acquaintanceship relations are valued as follows: 4=close personal friend, 3=friend, 2=person I've met, 1=person I've heard of, but not met, 0=unknown name or no reply. Table B.11 contains a table of four attributes for the researchers: original ID as reported in Freeman and Freeman (1979), number of citations in 1978, discipline (coded 1,2,3), discipline itself.

Relation	W & F Table No.	<i>SNAD</i> object
<b>Graphs:</b>		
acquaintanceship at time 1	B.8	acqTime1
acquaintanceship at time 2	B.9	acqTime2
messages	B.10	messages
<b>Attributes:</b>		
attributes	B.11	freemanAttrs

```
> data(acqTime1)
> data(acqTime2)
> data(messages)
> data(freemanAttrs)
> acqTime1
```

```
A graph with directed edges
Number of Nodes = 32
Number of Edges = 650
```

```
> acqTime2
```

```
A graph with directed edges
Number of Nodes = 32
Number of Edges = 759
```

```
> messages
```

```
A graph with directed edges
Number of Nodes = 32
Number of Edges = 460
```

```
> freemanAttrs[1:5, ]
```

	OriginalID	Citations	DisciplineCode	Discipline
1	1	19	1	Sociology
2	2	3	2	Anthropology
3	3	170	4	Communication
4	6	23	1	Sociology
5	8	16	4	Psychology

```
> edgeL(acqTime1, 6)
```

```
$"6"
```

```
$"6"$edges
```

```
[1] 1 8 14 16 19 21 27 29 31
```

```
$"6"$weights
```

```
1 8 14 16 19 21 27 29 31
3 2 2 1 2 1 2 2 2
```

```
> edgeL(acqTime2, 6)
```

```
$"6"
```

```
$"6"$edges
```

```
[1] 1 2 8 10 11 14 15 16 19 21 24 26 27 28 29 31 32
```

```
$"6"$weights
```

```
1 2 8 10 11 14 15 16 19 21 24 26 27 28 29 31 32
4 2 3 2 2 2 2 2 2 2 3 2 2 2 3 4 2
```

```
> edgeL(messages, 6)
```

```

$"6"
$"6"$edges
[1] 1 2 4 6 8 10 11 15 16 17 24 27 28 29 30 31

$"6"$weights
1 2 4 6 8 10 11 15 16 17 24 27 28 29 30 31
72 23 2 34 16 7 15 8 7 6 14 7 3 34 3 22

```

## Countries Trade Data

Tables B.12 - B.16 contain data for five directed trade relations between 24 countries: basic manufactured goods; food and live animals; crude materials, excluding food; minerals, fuels, and other petroleum products; exchange of diplomats. Table B.17 contains a table of four attributes for the countries: average annual population growth between 1970 and 1981; average GNP growth rate per capita between 1970 and 1981; secondary school enrollment ratio in 1980; energy consumption per capita in 1980, in kilo coal equivalents.

Relation	W & F Table No.	<i>SNADData</i> object
<b>Graphs:</b>		
basic manufactured goods	B.12	<b>basicGoods</b>
food and live animals	B.13	<b>food</b>
crude materials, excluding food	B.14	<b>crudeMaterials</b>
minerals, fuels, and other petroleum products	B.15	<b>minerals</b>
exchange of diplomats	B.16	<b>diplomats</b>
<b>Attributes:</b>		
attributes	B.17	<b>countriesAttrs</b>

```

> data(basicGoods)
> data(food)
> data(crudeMaterials)
> data(minerals)
> data(diplomats)
> data(countriesAttrs)
> basicGoods

```

A graph with directed edges

```
Number of Nodes = 24
Number of Edges = 310
```

```
> food
```

```
A graph with directed edges
Number of Nodes = 24
Number of Edges = 307
```

```
> crudeMaterials
```

```
A graph with directed edges
Number of Nodes = 24
Number of Edges = 307
```

```
> minerals
```

```
A graph with directed edges
Number of Nodes = 24
Number of Edges = 135
```

```
> diplomats
```

```
A graph with directed edges
Number of Nodes = 24
Number of Edges = 369
```

```
> countriesAttrs[1:5, ]
```

	PopGrowth	GNP	Schools	Energy
Alg	3.3	3.0	33	814
Arg	1.6	0.3	56	2161
Bra	2.1	5.3	32	1101
Chi	1.5	NA	43	618
Cze	0.7	NA	44	6847

```
> degree(basicGoods)
```

```
$inDegree
```

Alg	Arg	Bra	Chi	Cze	Ecu	Egy	Eth	Fin	Hon	Ind	Isr	Jap	Lib	Mad	NZ	Pak	Spa	Swi	Syr
13	10	11	15	13	9	12	10	15	9	14	10	17	9	6	14	14	17	15	12
Tai	UK	US	Yug																
15	16	19	15																

```
$outDegree
```

Alg	Arg	Bra	Chi	Cze	Ecu	Egy	Eth	Fin	Hon	Ind	Isr	Jap	Lib	Mad	NZ	Pak	Spa	Swi	Syr
4	13	21	21	21	2	9	2	21	1	14	11	23	0	1	11	13	22	23	0
Tai	UK	US	Yug																
14	22	23	18																



```

> degree(diplomats)

$inDegree
Alg Arg Bra Chi Cze Ecu Egy Eth Fin Hon Ind Isr Jap Lib Mad  NZ Pak Spa Swi Syr
  16  19  19  21  18  12  19   7  16   7  18  13  23   6   4   6  14  20  22  12
Tai  UK  US  Yug
  13  22  23  19

$outDegree
Alg Arg Bra Chi Cze Ecu Egy Eth Fin Hon Ind Isr Jap Lib Mad  NZ Pak Spa Swi Syr
  15  17  19  20  15  13  18  14  13   9  16   8  23  10   8  11  15  18  17  13
Tai  UK  US  Yug
  15  21  23  18

```

## Galaskiewicz's CEO and Clubs Network

Table B.18 contains information about the membership of the chief executive officers from 26 corporations in 15 clubs. *SNADData* contains both a graph and affiliation matrix representation of these data. The rows of the affiliation matrix represent CEOs and the columns represent clubs. The graph is a bipartite graph which contains two sets of nodes for the CEOs and clubs, and directed edges connect the CEOs to the clubs of which they are members.

Relation	W & F Table No.	<i>SNADData</i> object
<b>Graph:</b>		
club membership	B.18	CEOclubsBPG
<b>Affiliation Matrix:</b>		
club membership	B.18	CEOclubsAM

```

> data(CEOclubsBPG)
> data(CEOclubsAM)
> CEOclubsBPG

```

```

A graph with directed edges
Number of Nodes = 41
Number of Edges = 98

```

```

> CEOclubsAM[1:5, 1:5]

      Club1 Club2 Club3 Club4 Club5
CEO1      0      0      1      1      0
CEO2      0      0      1      0      1
CEO3      0      0      1      0      0
CEO4      0      1      1      0      0
CEO5      0      0      1      0      0

```

```

> cc5 <- c(paste("CEO", 1:5, sep = ""), paste("Club", 1:5, sep = ""))
> subG <- subGraph(cc5, CEOclubsBPG)
> subG@edgemode <- "directed"
> plot(subG)

```

